

Pamela J. Scott  
Assistant General Counsel

302.429.3143 – Telephone  
302.429.3801 – Facsimile

U.S. Mail  
92DC42  
PO Box 6066  
Newark, DE 19714-6066

pjscott@pepcoholdings.com

All other deliveries:  
92DC42  
500 N. Wakefield Drive  
Newark, DE 19702

December 28, 2016

**VIA DELAFILE**

Donna Nickerson  
Secretary  
Delaware Public Service Commission  
861 Silver Lake Boulevard  
Cannon Building, Suite 100  
Dover, DE 19904

Re: Docket No. 16-1084 – Compliance Filing

Dear Ms. Nickerson:

Pursuant to the provisions of Order No. 9010 in the above captioned docket, approved by the Delaware Public Service Commission on December 20, 2016, enclosed please find the compliance filing of Delmarva Power & Light Company to revise the Utility Facility Relocation Charge (“UFRC”) rate for recovery of capital improvement costs associated with gas facility relocations due to projects by the Delaware Department of Transportation and other governmental agencies, effective January 1, 2017.

Should you have any questions or require any additional information, please do not hesitate to contact me at 302-429-3143 or Heather Hall at 302-451-5323.

Very truly yours,



Pamela J. Scott

Enclosures

cc: Connie McDowell (w/enclosures)  
Joseph DeLosa (w/enclosures)  
Heather Hall (w/enclosures)  
Marlene Santacecilia (w/enclosures)

RIDER "UFRC"

UTILITY FACILITY RELOCATION CHARGE RIDER – continued

E. Filing (Continued)

1. The UFRC rate shall also be reset to zero if, in any quarter, data filed with the Commission by the Company show that the gas utility will earn a rate of return that exceeds the rate of return established in its last general rate filing or by Commission order as described in paragraph 2.a of this Rider, if such was determined subsequent to the final order in the company's last general rate filing. Further, the UFRC rate shall be reinstated when such data show that the established rate of return is not exceeded and will not be exceeded if the UFRC rate is reinstated and reset.

The UFRC is set forth as follows: 0.05%